Mental Healthcare Standards -Perspectives from the HIV Clinic, Ljubljana

Peter Zajc

University Psychiatric Clinic Ljubljana


HIV Clinic, University Medical Center Ljubljana

Epidemilogy of HIV in Slovenia

New cases detected 2022: 57 (F12, M45): 2,8/100.000

2021: 41, 2020: 27

Slika 2: Število prijavljenih primerov okužbe s HIV glede na spol in starost ob prijavi, Slovenija, 4. četrtletje 2021 – 3. četrtletje 2023




Vir: Zbirka podatkov NIJZ 52. Evidenca pojavnosti infekcije s HIV, aidsa in smrti zaradi aidsa po ZZPPZ, 20. 10. 2023.

Epidemilogy of HIV in Slovenia

Majority MSM

Slika 1: Prijavljeni primeri okužbe s HIV glede na kategorije izpostavljenosti, Slovenija, 4. četrtletje 2021 – 3. četrtletje 2023



Vir: Zbirka podatkov NIJZ 52. Evidenca pojavnosti infekcije s HIV, aidsa in smrti zaradi aidsa po ZZPPZ, 20. 10. 2023.

Psychiatric comorbidities in HIV infection

• Intertwining of biological, psychological, social factors:

- Crisis state and adjustment disorder, PTSD (30%):
 - Crisis is a state of feeling; an internal experience of confusion and anxiety to the degree that formerly successful coping mechanisms fail us and ineffective decisions and behaviors take their place.
- Anxiety disorders (2-40%): Panic disorder, Generalised anxiety disorder
- Mood Disorders: Depressive disorder (22-50%), mania
- Substance use disorders (40-74%): alcochol, illicit drugs, chemsex
- Psychosis (0,2-15%)
- Psychoorganic and cognitive disorders: delirium, cognitive impairment, dementia, sleep disturbance (10-50%)

PRIMARY NEUROPSYCHIATRIC DISORDERS

HIV NEUROCOGNITIVE DISORDERS

- Asymptomatic neurocognitive disorder
- HIV mild cognitive impairment
- HIV dementia

OTHER HIV NEUROLOGICAL DISORDERS

- HIV meningitis
- HIV vacuolar myelopathy
- HIV neuropathies:
 - Acute demyelinating Guillain-Barre
 - Progressive demyelinating: mononeuritis mutiplex
 - Predominantly sensory polyneuropathy
- HIV myopathy

SECONDARY NEUROPSYCHIATRIC DISORDERS

- INFECTIONS:
 - Toxoplasma, Cryptococcus, CMV
- NEOPLASMS:
 - Lymphoma, Kaposi's sarcoma of CNS
- HIV CEREBROVASCULAR DISORDERS
- OTHER TYPES OF DELIRIUM:
 - Side effects of drugs
 - Hypoxemia, hypercapnia
 - Metabolic and other nutritional disorders

Neuropsychiatric Effects of HIV Antiviral Medications

- Efavirenz: nightmares, insomnia, depression
- Indinavir: insomnia
- Lamivudine: depression
- Nelfinavir: anxiety, insomnia, depression
- Ritonavir: anxiety, agitation, confusion, hallucinations, depression
- Saquinavir: anxiety, irritability, hallucinations
- Zidovudine: depression, agitation, insomnia, mania

Psychological and Social Factors

- Coping with diagnosis: stigma, lifelong, debilitating, death?, wrong assumptions
- Dealing with the environment: overcoming stigma
- Introduction of ART, ART side effects
- Associated diseases/disorders
- Aging with HIV

Mental Health Interventions

- Psychoeducation
- Psychotherapy: problem solving, cognitive behavioral, interpesonal, mindfulness, relaxation techniques, motivational interview (substance use)
- Psychopharmacotherapy:
 - Benzodiazepines, antidepressants, mood stabilizers, antipsychotics
 - Interactions with ART and other drugs
- Refferals:
 - Substance dependance specialist center
 - Social work interventions
 - Community services: support groups, buddy program.

Integrating (Mental Health) Services for PLHIV

HIV Clinic:

Anonimous HIV test -> counselling, education HIV treatment -> mental health monitoring



Psychiatrist

Clinical Psychologist
Substance dependance specialist



Community service for PLHIV (NGOs)
Social Service Centers

Case Study

- Male, 42 y.o., employed
- First appointment: march 2017, anxious-depressive disorder, mild cognitive complaints at work, performance anxiety at work, work overload.
- Previous psychiatric therapy: Psychiatrist (antidepressant), CBT (hospital).
- History: meningitis at 6 month, emotional lability, impulsivness, problems with school work.
- Th: Antidepressant and CBT, problem solving, relaxation techniques.
- Persistent anxiety and mild cognitive problems -> neurocognitive testing showed some neurodevelopmental problems (ADHD) apart anxiety.
- Constant emotional relational problems with regular lover/partner -> problem solving psychotherapy, CBT.
- August 2023 new HIV infection detected: crisis intervention.

Dilemmas

- HIV prevention during psychiatric/psychotherapeutic treatment failed?
- HIV specialist reffered him to psycologist, no knowledge of ongoing psychiatric treatment?

Thank you for your attention

• Questions?

• Email: peter.zajc@psih-klinika.si